


Assistance

A 3D architectural rendering of a modern apartment interior. The scene includes a living area with a grey armchair, a white sideboard, and a black and white chevron rug. A kitchen area is visible in the background. A desk with a black chair and a potted plant is on the right. Several blue location pin icons are overlaid on the scene, each containing a white symbol: a book, a picture frame, or a crescent moon. These icons are placed near various furniture and fixtures, suggesting points of assistance or interaction. A large red banner with the word 'Assistance' in white text is positioned at the top left.





FlexLink

incl. 1x4,5 W
530 lm, 2.700 - 6.000 K
2x18650 Akku/3,7V
DC 5 V
↕422 ↔235 ↗236 mm
EAN 4000870 954232

954.23

⚙️ Weiß ▢ Aluminium/
Kunststoff/Silikon
⚙️ Blanc ▢ Aluminium/
Matière plastique/Silicone
⚙️ Wit ▢ Aluminium/Kunststof/
Silicon

 **tunable white**




FlexLink

incl. 1x4,5 W
530 lm, 2.700 - 6.000 K
2x18650 Akku/3,7V
DC 5 V
↕422 ↔235 ↗236 mm
EAN 4000870 954249

954.24


⚙️ Schwarz ▢ Aluminium/
Kunststoff/Silikon
⚙️ Noir ▢ Aluminium/
Matière plastique/Silicone
⚙️ Zwart ▢ Aluminium/
Kunststof/Silicon

 **tunable white**






- 🔑 Eisen gebürstet 🏠 Metall
- 🔑 Acier brossé 🏠 Métal
- 🔑 Staal geborsteld 🏠 Metaal



- 🔑 Eisen gebürstet 🏠 Metall
- 🔑 Acier brossé 🏠 Métal
- 🔑 Staal geborsteld 🏠 Metaal





⚙ Weiß ▢ Kunststoff
 ⚙ Blanc ▢ Matière plastique
 ⚙ Wit ▢ Kunststof

**Viby**

incl. 1×0,7 W
 60 lm, 3.000 K
 3×AA-Akku/1,5V
 (Mignon)
 ⌀110 ⇄110 ⌀37 mm
 EAN 4000870 924914
924.91

**Viby**

incl. 1×0,7 W
 56 lm, 3.000 K
 3×AA-Akku/1,5V
 (Mignon)
 ⌀120 ⌀40 mm
 EAN 4000870 924921
924.92



⚙ Weiß ▢ Kunststoff
 ⚙ Blanc ▢ Matière plastique
 ⚙ Wit ▢ Kunststof

**Esby**

incl. 1×0,016 W
 3 lm, 3.000 K
 230 V
 ⌀80 ⇄80 ⌀58 mm
 EAN 4000870 924938
924.93

**Esby**


incl. 1×0,2 W
 30 lm, 3.000 K
 230 V
 ⌀90 ⌀70 mm
 EAN 4000870 924945
924.94



⚙ Weiß ▢ Kunststoff
 ⚙ Blanc ▢ Matière plastique
 ⚙ Wit ▢ Kunststof

**Horbby**

incl. 1×0,4 W
 56 lm, 3.000 K
 230 V
 ⌀90 ⌀68 mm
 EAN 4000870 924952
924.95



**Vitis**

max. 20 W, E14
230 V

⌀370 ⌀110 mm
EAN 4000870 954324

954.32

- ⌘ Grau ▣ Metall/Kunststoff
- ⌘ Gris ▣ Métal/Matière plastique
- ⌘ Grijs ▣ Metaal/Kunststof

**Vitis**

max. 20 W, E14
230 V

⌀370 ⌀110 mm
EAN 4000870 954317

954.31

- ⌘ Weiß ▣ Metall/Kunststoff
- ⌘ Blanc ▣ Métal/Matière plastique
- ⌘ Wit ▣ Metaal/Kunststof

**Vitis**

max. 20 W, E14
230 V

⌀370 ⌀110 mm
EAN 4000870 954300

954.30

- ⌘ Schwarz ▣ Metall/Kunststoff
- ⌘ Noir ▣ Métal/Matière plastique
- ⌘ Zwart ▣ Metaal/Kunststof


**Assistent Gryps**

max. 40 W, E14
230 V

⌀150 ⌀60 ⇄115 mm
EAN 4000870 998250

998.25

- ⌘ Eisen gebürstet ▣ Metall/Kunststoff
- ⌘ Acier brossé ▣ Métal/Matière plastique
- ⌘ Staal geborsteld ▣ Metaal/Kunststof





Perfect match

□ = 401-402
424



Assistant Finja LED

max. 35 W, GU10

230 V

⌀330 ø51 ⇄115 mm

EAN 4000870 954263

954.26

☞ Chrom matt ☐ Metall/Kunststoff

☞ Chrome mat ☐ Métal/Matière plastique

☞ Chroom mat ☐ Metaal/Kunststof



Assistant Gesa LED

max. 35 W, GU10

230 V

⌀285 ø51 ⇄115 mm


EAN 4000870 954256

954.25

☞ Chrom matt ☐ Metall/Kunststoff

☞ Chrome mat ☐ Métal/Matière plastique

☞ Chroom mat ☐ Metaal/Kunststof





Perfect match

⏏=407-408
416

**Junus**

max. 20W, E14
230V
⏏390 ⌀110 mm
EAN 4000870 954294
954.29

⌘ Grau ⏏ Metall/Kunststoff
⌘ Gris ⏏ Métal/Matière plastique
⌘ Grijs ⏏ Metaal/Kunststof

**Junus**


max. 20W, E14
230V
⏏390 ⌀110 mm
EAN 4000870 954287
954.28

⌘ Weiß ⏏ Metall/Kunststoff
⌘ Blanc ⏏ Métal/Matière plastique
⌘ Wit ⏏ Metaal/Kunststof

**Junus**

max. 20W, E14
230V
⏏390 ⌀110 mm
EAN 4000870 954270
954.27

⌘ Schwarz ⏏ Metall/Kunststoff
⌘ Noir ⏏ Métal/Matière plastique
⌘ Zwart ⏏ Metaal/Kunststof



**Bento**

incl. 1x6 W
600 lm, 3.000 K
✗ 120°
230 V
⌀85 ⇄300 ↗120 mm
EAN 4000870 955567

955.56 new

- ✧ Alu gebürstet ▯ Metall/Kunststoff
- ✧ Alu brossé ▯ Métal/Matière plastique
- ✧ Alu geborsteld ▯ Metaal/Kunststof

Bento

incl. 1x8,5 W
900 lm, 3.000 K
✗ 120°
230 V
⌀85 ⇄400 ↗120 mm
EAN 4000870 955574

955.57 new

- ✧ Alu gebürstet ▯ Metall/Kunststoff
- ✧ Alu brossé ▯ Métal/Matière plastique
- ✧ Alu geborsteld ▯ Metaal/Kunststof

Bento

incl. 1x10 W
1.050 lm, 3.000 K
✗ 120°
230 V
⌀85 ⇄500 ↗120 mm
EAN 4000870 955581

955.58 new

- ✧ Alu gebürstet ▯ Metall/Kunststoff
- ✧ Alu brossé ▯ Métal/Matière plastique
- ✧ Alu geborsteld ▯ Metaal/Kunststof

**Bento**

incl. 1x6 W
600 lm, 3.000 K
✗ 120°
230 V
⌀85 ⇄300 ↗120 mm
EAN 4000870 955598

955.59 new

- ✧ Altmessing ▯ Metall/Kunststoff
- ✧ Laiton patiné ▯ Métal/Matière plastique
- ✧ oud messing ▯ Metaal/Kunststof

Bento

incl. 1x8,5 W
900 lm, 3.000 K
✗ 120°
230 V
⌀85 ⇄400 ↗120 mm
EAN 4000870 955604

955.60 new


- ✧ Altmessing ▯ Metall/Kunststoff
- ✧ Laiton patiné ▯ Métal/Matière plastique
- ✧ oud messing ▯ Metaal/Kunststof

Bento

incl. 1x10 W
1.050 lm, 3.000 K
✗ 120°
230 V
⌀85 ⇄500 ↗120 mm
EAN 4000870 955611

955.61 new

- ✧ Altmessing ▯ Metall/Kunststoff
- ✧ Laiton patiné ▯ Métal/Matière plastique
- ✧ oud messing ▯ Metaal/Kunststof



**Mingo**

incl. 1×9,5 W

1.000 lm, 3.000 K

✕ 120°

230 V

⌀50 ⇄415 ↗175 mm

EAN 4000870 955628

955.62 new

🔧 Altmessing ▯ Metall/Kunststoff

🔧 Laiton patiné ▯ Métal/Matière plastique

🔧 oud messing ▯ Metaal/Kunststof

**Mingo**

incl. 1×9,5 W

1.000 lm, 3.000 K

✕ 120°

230 V

⌀50 ⇄415 ↗175 mm

EAN 4000870 955666

955.66 new

🔧 Alu gebürstet ▯ Metall/Kunststoff

🔧 Alu brossé ▯ Métal/Matière plastique

🔧 Alu geborsteld ▯ Metaal/Kunststof

**Mingo**

incl. 1×9,5 W

1.000 lm, 3.000 K

✕ 120°

230 V

⌀50 ⇄415 ↗175 mm


EAN 4000870 955642

955.64 new

🔧 Schwarz ▯ Metall/Kunststoff

🔧 Noir ▯ Métal/Matière plastique

🔧 Zwart ▯ Metaal/Kunststof



**Renan**

incl. 1x6 W
600 lm, 3.000 K
✗ 120°
230 V
✚125 ⇄300 ⇄210 mm
EAN 4000870 955680

955.68 new

✎ Altmessing ▢ Metall/Acryl
✎ Laiton patiné ▢ Métal/Acryl
✎ oud messing ▢ Metaal/Acryl

**Renan**

incl. 1x9,5 W
1.000 lm, 3.000 K
✗ 120°
230 V
✚125 ⇄400 ⇄210 mm
EAN 4000870 955697

955.69 new

✎ Altmessing ▢ Metall/Acryl
✎ Laiton patiné ▢ Métal/Acryl
✎ oud messing ▢ Metaal/Acryl

**Renan**

incl. 1x11 W
1.250 lm, 3.000 K
✗ 120°
230 V
✚125 ⇄600 ⇄210 mm
EAN 4000870 955703

955.70 new

✎ Altmessing ▢ Metall/Acryl
✎ Laiton patiné ▢ Métal/Acryl
✎ oud messing ▢ Metaal/Acryl

**Renan**

incl. 1x6 W
600 lm, 3.000 K
✗ 120°
230 V
✚125 ⇄300 ⇄210 mm
EAN 4000870 955710

955.71 new

✎ Alu gebürstet ▢ Metall/Acryl
✎ Alu brossé ▢ Métal/Acryl
✎ Alu geborsteld ▢ Metaal/Acryl

**Renan**

incl. 1x9,5 W
1.000 lm, 3.000 K
✗ 120°
230 V
✚125 ⇄400 ⇄210 mm
EAN 4000870 955727

955.72 new

✎ Alu gebürstet ▢ Metall/Acryl
✎ Alu brossé ▢ Métal/Acryl
✎ Alu geborsteld ▢ Metaal/Acryl

**Renan**

incl. 1x11 W
1.250 lm, 3.000 K
✗ 120°
230 V
✚125 ⇄600 ⇄210 mm
EAN 4000870 955734

955.73 new

✎ Alu gebürstet ▢ Metall/Acryl
✎ Alu brossé ▢ Métal/Acryl
✎ Alu geborsteld ▢ Metaal/Acryl



**Beam Fifty**

incl. 1x8 W
850 lm, 2.700 K
✗ 100°
230 V
↕46 ⇄450 ↗190 mm
EAN 4000870 998892
998.89

🔩 Chrom 📊 Metall
🔩 Chrome 📊 Métal
🔩 Chroom 📊 Metaal

Beam Sixty

incl. 1x11 W
1,250 lm, 2.700 K
✗ 100°
230 V
↕46 ⇄585 ↗190 mm
EAN 4000870 998908
998.90

🔩 Chrom 📊 Metall
🔩 Chrome 📊 Métal
🔩 Chroom 📊 Metaal

**Beam Thirty**

incl. 1x6 W
630 lm, 2.700 K
✗ 100°
230 V
↕46 ⇄290 ↗190 mm
EAN 4000870 998915
998.91

🔩 Weiß/Chrom 📊 Metall
🔩 Blanc/Chrome 📊 Métal
🔩 Wit/Chroom 📊 Metaal

Beam Fifty


incl. 1x8 W
850 lm, 2.700 K
✗ 100°
230 V
↕46 ⇄450 ↗190 mm
EAN 4000870 998922
998.92

🔩 Weiß/Chrom 📊 Metall
🔩 Blanc/Chrome 📊 Métal
🔩 Wit/Chroom 📊 Metaal

Beam Sixty

incl. 1x11 W
1,250 lm, 2.700 K
✗ 100°
230 V
↕46 ⇄585 ↗190 mm
EAN 4000870 998939
998.93

🔩 Weiß/Chrom 📊 Metall
🔩 Blanc/Chrome 📊 Métal
🔩 Wit/Chroom 📊 Metaal



**Beam Thirty**

incl. 1x6 W
630 lm, 2.700 K
✗ 100°
230 V
↕46 ↔290 ↗190 mm
EAN 4000870 998946
998.94

- 🔩 Nickel gebürstet/Chrom 📦 Metall
- 🔩 Nickel brossé/Chrome 📦 Métal
- 🔩 Nikkel geborsteld/Chroom 📦 Metaal

**Beam Fifty**

incl. 1x8 W
850 lm, 2.700 K
✗ 100°
230 V
↕46 ↔450 ↗190 mm
EAN 4000870 998953
998.95

- 🔩 Nickel gebürstet/Chrom 📦 Metall
- 🔩 Nickel brossé/Chrome 📦 Métal
- 🔩 Nikkel geborsteld/Chroom 📦 Metaal

**Beam Sixty**

incl. 1x11 W
1,250 lm, 2.700 K
✗ 100°
230 V
↕46 ↔585 ↗190 mm
EAN 4000870 998960
998.96

- 🔩 Nickel gebürstet/Chrom 📦 Metall
- 🔩 Nickel brossé/Chrome 📦 Métal
- 🔩 Nikkel geborsteld/Chroom 📦 Metaal

